

**REFERENCES FOR
QUANTIZATION OF MODULI SPACES
GEOQUANT SUMMER SCHOOL AT QGM, 2017.**

JØRGEN ELLEGAARD ANDERSEN & RINAT KASHAEV

ABSTRACT. This list of references are compiled for the students of the *Quantization of Moduli Spaces*-class of the GeoQuant summer school at QGM 2017. It is by no means an extensive list of reference on the subject covered by the class, but just a suggestion for a starting point with most relevance for this class.

Atiyah-Bott-Goldman-Narasimhan symplectic form:

- AB M. Atiyah & R. Bott, *The Yang-Mills equations over Riemann surfaces.* Phil. Trans. R. Soc. Lond., Vol. **A308** (1982) 523–615.
Gold1 W. M. Goldman, *The symplectic nature of fundamental groups of surfaces,* Adv. in Math. 54 (1984), no. 2, 200–225.
Gold2 W. M. Goldman, *Invariant functions on Lie groups and Hamiltonian flows of surface group representations,* Invent. Math. 85 (1986), no. 2, 263–302.

Further reading ...

- FR1 V. V. Fock & A. A Rosly, *Flat connections and polybundles.* Teoret. Mat. Fiz. **95** (1993), no. 2, 228–238; translation in Theoret. and Math. Phys. **95** (1993), no. 2, 526–534
FR2 V. V. Fock & A. A Rosly, *Moduli space of flat connections as a Poisson manifold.* Advances in quantum field theory and statistical mechanics: 2nd Italian-Russian collaboration (Como, 1996). Internat. J. Modern Phys. B **11** (1997), no. 26–27, 3195–3206.
AMR1 J.E. Andersen, J. Mattes & N. Reshetikhin, *The Poisson Structure on the Moduli Space of Flat Connections and Chord Diagrams.* Topology **35**, pp.1069–1083 (1996).
AMR2 J.E. Andersen, J. Mattes & N. Reshetikhin, *Quantization of the Algebra of Chord Diagrams.* Math. Proc. Camb. Phil. Soc. **124** pp.451–467 (1998).

Prequantization of moduli space:

- RSW T.R. Ramadas, I.M. Singer and J. Weitsman, *Some Comments on Chern – Simons Gauge Theory,* Comm. Math. Phys. **126** (1989) 409–420.

- Freed D.S. Freed, *Classical Chern-Simons Theory, Part 1*, Adv. Math. **113** (1995), 237–303.
- DN J.-M. Drezet & M.S. Narasimhan, *Groupe de Picard des variétés de modules de fibrés semi-stables sur les courbes algébriques*, Invent. math. **97** (1989) 53–94.
- AHJM² J. E. Andersen, B. Himpel, S. F. Jørgensen, J. Martens, and B. McLellan. "The Witten-Reshetikhin-Turaev invariant for links in finite order mapping tori I", Advances in Mathematics **304** (2017), 131–178.

Narasimhan-Seshadri Theorem:

- NS1 M.S. Narasimhan and C.S. Seshadri, *Holomorphic vector bundles on a compact Riemann surface*, Math. Ann. **155** (1964) 69–80.
- NS2 M. S.Narasimhan & C. S. Seshadri, "Holomorphic vector bundles on a compact Riemann surface. 1964 Differential Analysis, Bombay Colloq., 1964 pp. 249?250 Oxford Univ. Press, London
- NS3 M.S. Narasimhan & C.S. Seshadri, *Stable and unitary vector bundles on a compact Riemann surface*, Ann. Math. **82** (1965) 540–67.

Hitchin Connection:

- H N. Hitchin, *Flat connections and geometric quantization*, Comm.Math.Phys., **131** (1990) 347–380.
- ADW S. Axelrod, S. Della Pietra, E. Witten, *Geometric quantization of Chern Simons gauge theory*, J.Diff.G geom. **33** (1991) 787–902.
- Fal G. Faltings, *Stable G-bundles and projective connections*, J.Alg.G geom. **2** (1993) 507–568.
- Laszlo Y. Laszlo, *Hitchin's and WZW connections are the same*, J. Diff. Geom. **49** (1998), no. 3, 547–576.
- vGdJ B. Van Geemen & A. J. De Jong, *On Hitchin's connection*, J. of Amer. Math. Soc., **11** (1998), 189–228.
- A24 J.E. Andersen, "Toeplitz operators and Hitchin's projectively flat connection", in *The many facets of geometry: A tribute to Nigel Hitchin*, Edited by O. García-Prada, Jean Pierre Bourguignon, Simon Salamon, 177–209, Oxford Univ. Press, Oxford, 2010.
- A31 J.E. Andersen, "Hitchin's connection, Toeplitz operators and symmetry invariant deformation quantization", Quantum Topology **3** (2012), 293–325.
- AGL J.E. Andersen, N.L. Gammelgaard & M.R. Lauridsen, "Hitchin's Connection in Metaplectic Quantization", Quantum Topology **3** (2012), 327–357.
- APo J. E. Andersen, N. S. Poulsen, "The Curvature of the Hitchin Connection", arXiv:1609.01243.
- AR J. E. Andersen, K. Rasmussen "A Hitchin Connection for a large class of families of Kähler Structures", arXiv:1609.01395. To appear in The Proceedings of Hitchin70

Classical Conformal Field Theory references:

- Segal G. Segal, *The Definition of Conformal Field Theory*, Oxford University Preprint (1992).
- TUY A. Tsuchiya, K. Ueno & Y. Yamada, *Conformal Field Theory on Universal Family of Stable Curves with Gauge Symmetries*, Advanced Studies in Pure Mathematics, **19** (1989), 459–566.

Modular functors alla Kevin Walker:

- Walker K. Walker, *On Witten's 3-manifold invariants*, Preliminary version # 2, Preprint 1991.
- APe J.E. Andersen & W.E. Petersen, Construction of Modular Functors from Modular Tensor Categories, Travaux Math. XXV (2017), 147–211.

Classical TQFT references:

- Witten E. Witten, *Quantum field theory and the Jones polynomial*, Commun. Math. Phys. **121** (1989) 351–98.
- Atiyah M. Atiyah, *The Jones-Witten invariants of knots*. Séminaire Bourbaki, Vol. 1989/90. Astérisque No. **189-190** (1990), Exp. No. 715, 7–16.
- Walker K. Walker, *On Witten's 3-manifold invariants*, Preliminary version # 2, Preprint 1991.
- RT1 N. Reshetikhin & V. Turaev, *Ribbon graphs and their invariants derived from quantum groups*, Comm. Math. Phys. **127** (1990), 1–26.
- RT2 N. Reshetikhin & V. Turaev, *Invariants of 3-manifolds via link polynomials and quantum groups*, Invent. Math. **103** (1991), 547–597.
- T V. G. Turaev, *Quantum invariants of knots and 3-manifolds*, de Gruyter Studies in Mathematics, 18. Walter de Gruyter & Co., Berlin, 1994. x+588 pp. ISBN: 3-11-013704-6
- BHMV1 C. Blanchet, N. Habegger, G. Masbaum & P. Vogel, *Three-manifold invariants derived from the Kauffman Bracket*. Topology **31** (1992), 685–699.
- BHMV2 C. Blanchet, N. Habegger, G. Masbaum & P. Vogel, *Topological Quantum Field Theories derived from the Kauffman bracket*. Topology **34** (1995), 883–927.
- B1 C. Blanchet, *Hecke algebras, modular categories and 3-manifolds quantum invariants*, Topology **39** (2000), no. 1, 193–223.
- KL D. Kazhdan & G. Lusztig, *Tensor structures arising from affine Lie algebras I*, J. AMS, **6** (1993), 905–947; II J. AMS, **6** (1993), 949–1011; III J. AMS, **7** (1994), 335–381; IV, J. AMS, **7** (1994), 383–453.

The isomorphism between the geometric and combinatorial constructions of TQFT's:

- AU1 J.E. Andersen & K. Ueno, "Geometric Construction of Modular Functors from Conformal Field Theory", Journal of Knot theory and its Ramifications **16** (2) (2007), 127–202.
- AU2 J.E. Andersen & K. Ueno, "Abelian Conformal Field Theories and Determinant Bundles", International Journal of Mathematics **18** (2007), 919–993.
- AU3 J.E. Andersen & K. Ueno, "Modular functors are determined by their genus zero data", Quantum Topology **3** (2012), 255–291.
- AU4 J.E. Andersen & K. Ueno, "Construction of the Witten-Reshetikhin-Turaev TQFT from conformal field theory". Invent. Math. **201** (2) (2015), 519–559.

Geometric Quantization:

Woodhouse N.J. Woodhouse, *Geometric Quantization*, Oxford University Press, Oxford (1992).

and all the references in there and many more ...

Berezin-Toeplitz Quantization:

- BdMG L. Boutet de Monvel & V. Guillemin, *The spectral theory of Toeplitz operators*, Annals of Math. Studies **99**, Princeton University Press, Princeton.
- BdMS L. Boutet de Monvel & J. Sjöstrand, *Sur la singularité des noyaux de Bergmann et de Szegő*, Astérisque **34-35** (1976), 123–164.
- BMS M. Bordeman, E. Meinrenken & M. Schlichenmaier, *Toeplitz quantization of Kähler manifolds and $gl(N)$, $N \rightarrow \infty$ limit*, Comm. Math. Phys. **165** (1994), 281–296.
- Kar A. V. Karabegov, *Deformation Quantization with Separation of Variables on a Kähler Manifold*, Comm. Math. Phys. **180** (1996) (3), 745–755.
- Sch1 M. Schlichenmaier, *Berezin-Toeplitz quantization and conformal field theory*, Thesis.
- Sch2 M. Schlichenmaier, *Deformation quantization of compact Kähler manifolds by Berezin-Toeplitz quantization*. In *Conférence Moshé Flato 1999, Vol. II (Dijon)*, 289–306, Math. Phys. Stud., **22**, Kluwer Acad. Publ., Dordrecht, (2000), 289–306.
- KS A. V. Karabegov & M. Schlichenmaier, *Identification of Berezin-Toeplitz deformation quantization*, J. Reine Angew. Math. **540** (2001), 49–76.
- Sch3 M. Schlichenmaier, *Berezin-Toeplitz quantization and Berezin transform. In Long time behaviour of classical and quantum systems (Bologna, 1999)*, Ser. Concr. Appl. Math., **1**, World Sci. Publishing, River Edge, NJ, (2001), 271–287.

- Sch4 M. Schlichenmaier, "Some naturally defined star products for Kähler manifolds", *Travaux matematiques*, Volume 20 (2012), 187–204.

Asymptotic Faithfulness:

- A12 J.E. Andersen, "Asymptotic faithfulness of the quantum $SU(n)$ representations of the mapping class groups", *Annals of Mathematics* **163** (2006), 347–368.
 FWW M. H. Freedman, K. Walker & Z. Wang, *Quantum $SU(2)$ faithfully detects mapping class groups modulo center*. *Geom. Topol.* **6** (2002), 523–539
and the more recent proofs of Asymptotic faithfulness...

The Asymptotic Expansion Conjecture. Moduli space approach:

- A35 J.E. Andersen, "The Witten-Reshetikhin-Turaev invariants of finite order mapping tori I", *Journal für Reine und Angewandte Mathematik*. **681** (2013), 1–38.
 AH J.E. Andersen & S.K. Hansen, "Asymptotics of the quantum invariants for surgeries on the figure 8 knot", *Journal of Knot theory and its Ramifications* **15** (2006), 479–548.
 A34 J.E. Andersen & B. Himpel, "The Witten-Reshetikhin-Turaev invariants of finite order mapping tori II", *Quantum Topology* **3** (2012), 377–421.
 AJ J.E. Andersen & S.F. Jørgensen, "On the Witten-Reshetikhin-Turaev invariants of torus bundles", *Journal of Knot Theory and its Ramifications* **24 (11)**, 1550055 (2015), 1–48.
 CM1 L. Charles & J. Marché, "Knot state asymptotics II: Witten conjecture and irreducible representations", *Publ. Math. Inst. Hautes Études Sci.* **121** (2015), 323–361.
 CM1 L. Charles & J. Marché, "Knot state asymptotics I: AJ conjecture and Abelian representations", *Publ. Math. Inst. Hautes Études Sci.* **121** (2015), 279–322.
 AHJM² J. E. Andersen, B. Himpel, S. F. Jørgensen, J. Martens, and B. McLellan. "The Witten-Reshetikhin-Turaev invariant for links in finite order mapping tori I", *Advances in Mathematics* **304** (2017), 131–178.

General asymptotics and application of BT-theory to TQFT:

- A11 J.E. Andersen, "Deformation Quantization and Geometric Quantization of Abelian Moduli Spaces.", *Comm. of Math. Phys.* **255** (2005), 727–745.
 AMU J.E. Andersen, G. Masbaum & K. Ueno, "Topological Quantum Field Theory and the Nielsen-Thurston classification of $M(0, 4)$ ", *Math. Proc. Cambridge Philos. Soc.* **141** (2006), 477–488.

- A18 J.E. Andersen, "The Nielsen-Thurston classification of mapping classes is determined by TQFT", *J. Math. Kyoto Univ.* **48** (2008), 323–338.
- A22 J.E. Andersen, "Asymptotics of the Hilbert-Schmidt Norm of Curve Operators in TQFT", *Letters in Mathematical Physics* **91** (2010), 205–214.
- AG2 J.E. Andersen & N.L. Gammelgaard, "Hitchin's Projectively Flat Connection, Toeplitz Operators and the Asymptotic Expansion of TQFT Curve Operators", *Grassmannians, Moduli Spaces and Vector Bundles*, 1–24, Clay Math. Proc., 14, Amer. Math. Soc., Providence, RI, 2011.
- AB1 J.E. Andersen & J. L. Blaavand, "Asymptotics of Toeplitz operators and applications in TQFT", *Travaux Mathématiques*, **19** (2011), 167–201.
- C L. Charles, "Asymptotic properties of the quantum representations of the mapping class group", *Trans. Amer. Math. Soc.* **368** (2016), no. 10, 7507–7531.

Bohr-Sommerfeld quantization of moduli spaces:

- JW L. Jeffrey & J. Weitsman, "Bohr-Sommerfeld orbits in the moduli space of flat connections and the Verlinde dimension formula", *Comm. Math. Phys.* **150** (1992) 593–630.
- A2 J.E. Andersen, "Geometric quantization of symplectic manifolds with respect to reducible non-negative polarizations", *Comm. Math. Phys.* **183** (2) (1997), 401–421.
- A4 J.E. Andersen, "New polarizations on the moduli spaces and the Thurston compactification of Teichmüller space", *International Journal of Mathematics*, **9** (1) (1998), 1–45.
- T1 A. N. Tyurin, "On the Bohr-Sommerfeld bases." (Russian) *Izv. Ross. Akad. Nauk Ser. Mat.* **64** (2000), no. 5, 163–196; translation in *Izv. Math.* **64** (2000), no. 5, 1033–1064.
- T2 A. N. Tyurin, "An existence theorem for the moduli space of Bohr-Sommerfeld Lagrangian cycles. (Russian)" *Uspekhi Mat. Nauk* **60** (2005), no. 3(363), 179–180; translation in *Russian Math. Surveys* **60** (2005), no. 3, 572–574.

Quantum Teichmüller Theory:

- FK L.D.Faddeev and R.M.Kashaev. "Quantum dilogarithm", *Modern Phys. Lett.A*, 9(5): 427–434, 1994.
- K1 R.M.Kashaev. "Quantization of Teichmüller spaces and the quantum dilogarithm", *Lett.Math. Phys.*, 43(2):105–115, 1998.
- FC V. V. Fock and L. O. Chekhov. "Quantum Teichmüller spaces", *Teoret. Mat. Fiz.*, 120(3):511–528, 1999.
- K2 R. M. Kashaev. "The Liouville central charge in quantum Teichmüller theory". *Tr. Mat. Inst. Steklova*, 226(*Mat. Fiz. Probl. Kvantovoi Teor. Polya*):72–81, 1999.

- K3 R. M. Kashaev. "On the spectrum of Dehn twists in quantum Teichmüller theory". In Physics and combinatorics, 2000 (Nagoya), pages 63–81. World Sci. Publ., River Edge, NJ, 2001.

The Teichmüller TQFT:

- Hik1 K. Hikami. Hyperbolicity of partition function and quantum gravity. *Nuclear Phys. B*, 616(3):537–548, 2001.
- Hik2 K. Hikami. Generalized volume conjecture and the A -polynomials: the Neumann-Zagier potential function as a classical limit of the partition function. *J. Geom. Phys.*, 57(9):1895–1940, 2007.
- AK1 J.E. Andersen & R.M. Kashaev, "A TQFT from Quantum Teichmüller theory", *Comm. Math. Phys.* **330** (3) (2014), 887–934.
- AK2 J.E. Andersen & R.M. Kashaev, "Quantum Teichmüller theory and TQFT", XVIIth International Congress on Mathematical Physics, World Sci. Publ., Hackensack, NJ, (2014), 684–692.
- AK3 J.E. Andersen & R.M. Kashaev, "Faddeev's quantum dilogarithm and state-integrals on shaped triangulations", In "Mathematical Aspects of Quantum Field Theories", Editors D. Calaque and Thomas Strobl, Mathematical Physics Studies. XXVIII (2015), 133–152.
- AK4 J.E. Andersen & R.M. Kashaev, "A new formulation of the Teichmüller TQFT", arXiv:1305.4291
- AN J.E. Andersen & J.-J.K. Nissen, Asymptotic aspects of the Teichmüller TQFT, *Travaux Math.* XXV (2017), 41–95.
- AM J.E. Andersen & S. Marziani, Level N Teichmüller TQFT and Complex Chern-Simons Theory, *Travaux Math.* XXV (2017), 97–146.

Quantization of the Higgs bundle moduli space:

- W2 E. Witten, "Quantization of Chern-Simons gauge theory with complex gauge group", *Comm. Math. Phys.*, 137(1):29?66, 1991. 44
- AG J.E. Andersen, N.L. Gammelgaard, "The Hitchin-Witten Connection and Complex Quantum Chern-Simons Theory", arXiv:1409.1035.
- AGP J. E. Andersen, S. Gukov, D. Pei, "The Verlinde formula for Higgs bundles", arXiv:1608.01761.
- Wu S. Wu, "Quantization of Hitchin's Moduli Space of a Non-orientable Surface", *Geometric Methods in Physics, XXXIV Workshop 2015*, Trends in Mathematics, 343 – 363, 2016.

Complex Quantum Chern-Simons:

- Guk S. Gukov. Three-dimensional quantum gravity, Chern-Simons theory, and the A-polynomial. *Comm. Math. Phys.*, 255(3):577–627, 2005.
- GM S. Gukov and H. Murakami. $SL(2, \mathbb{C})$ Chern-Simons theory and the asymptotic behavior of the colored Jones polynomial. *Lett. Math. Phys.*, 86(2-3):79–98, 2008.
- Dim1 T. Dimofte. Quantum Riemann surfaces in Chern-Simons theory. *Adv. Theor. Math. Phys.*, 17(3):479–599, 2013.
- DGG T. Dimofte, D. Gaiotto, and S. Gukov. Gauge theories labelled by three-manifolds. *Comm. Math. Phys.*, 325(2):367–419, 2014.
- DG1 T. Dimofte and S. Garoufalidis. The quantum content of the gluing equations. *Geom. Topol.*, 17(3):1253–1315, 2013.
- DG2 T. Dimofte and S. Gukov. Chern-Simons theory and S-duality. *J. High Energy Phys.*, (5):109, front matter+65, 2013.
- DGLZ T. Dimofte, S. Gukov, J. Lenells, and D. Zagier. Exact results for perturbative Chern-Simons theory with complex gauge group. *Commun. Number Theory Phys.*, 3(2):363–443, 2009.
- Dim2 Tudor Dimofte. Complex Chern-Simons theory at level k via the 3d-3d correspondence. *Comm. Math. Phys.* 339 (2015) no. 2, 619–662, 1409.0857.
- AK5 J.E. Andersen & R.M. Kashaev, "Complex Quantum Chern-Simons", arXiv:1409.1208.

CENTER FOR QUANTUM GEOMETRY OF MODULI SPACES, DEPARTMENT OF MATHEMATICS, UNIVERSITY OF AARHUS, DK-8000, DENMARK
E-mail address: andersen@qgm.au.dk